

Notice of Allowability

Application No.

10/066,063

Applicant(s)

TAKAHASHI, KENJI

Examiner

Kelly L. Jerabek

Art Unit

2612

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to After Final Amendment filed 12/16/2005.
2. ☒ The allowed claim(s) is/are 4-6 (renumbered as 1-3 respectively) and 13-15 (renumbered as 4-6 respectively).
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some* c) ☐ None of the:
- ☒ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
- ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
- ☐ Examiner's Amendment/Comment
- ☒ Examiner's Statement of Reasons for Allowance
- ☐ Other _____


NGOC-YEN YU
PRIMARY EXAMINER

DETAILED ACTION

Allowable Subject Matter

Claims 4-6 (renumbered as claims 1-3 respectively) and 13-15 (renumbered as claims 4-6 respectively) are allowed.

The following is an examiner's statement of reasons for allowance:

Re claims 4 and 13, the prior art fails to teach or suggest "An apparatus comprising: an image sensing unit that senses an object image; and an exposure controller ...wherein if the exposure correction value obtained in the first exposure control mode is smaller than the predetermined value, said exposure controller performs the exposure control for photographing by using the exposure value determined in the first exposure control mode, and, if the exposure correction value obtained in the first exposure control mode is larger than the predetermined value, said exposure controller performs the exposure control for photographing by using the exposure value determined in the second exposure control mode".

Re claims 5-6 and 14-15, the prior art fails to teach or suggest "An apparatus comprising: an image sensing unit that senses an object image; and an exposure controller ...wherein on the basis of whether an absolute value of an exposure

correction value obtained in the first exposure control mode is smaller than a predetermined value, said exposure controller determines whether to perform the exposure control for photographing by using the exposure value determined in the first exposure control mode or by using the exposure value determined in the first exposure control mode or by using the exposure value determined in the second exposure control mode”.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”

Contacts

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kelly L. Jerabek whose telephone number is (571) 272-7312. The examiner can normally be reached on Monday - Friday (8:00 AM - 5:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner’s supervisor, Ngoc Yen Vu can be reached on (571) 272-7320. The fax phone number for submitting all Official communications is 703-872-9306. The fax phone number for submitting informal communications such as drafts, proposed amendments, etc., may be faxed directly to the Examiner at (571) 273-7312.

Art Unit: 2612

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KLJ



NGOC-YEN VU
PRIMARY EXAMINER